


INFORMATION SIGNS





product
design
award

1998

iF Product Design Award 1998
International Forum Design, Hannover



Good Design Award 1999
JIDPO/G-Mark, Japan



reddot design award
winner 2000

reddot design award 2000
Design-Zentrum Nordrhein-Westfalen

Design: Andreas Winkler

P0201 | P0601 | P3501

PICTOGRAMS

Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strong adhesion (Pure acrylate), material thickness 2 mm, dimensions in H x W. Design: Andreas Winkler / Thorsten Wohner



P0101 – 110 x 95 mm



P0201 – 110 x 119 mm



P0301 –
110 x 30 mm



P0401 –
110 x 55 mm



P0501 – 110 x 70 mm



P0601 – 110 x 70 mm



P0701 – 95 x 93 mm



P0801 – 95 x 108 mm



P0901 – 95 x 30 mm



P1001 – 95 x 51 mm



P1101 – 80 x 80 mm



P2501 – 103 x 103 mm



P2601 – 118 x 80 mm



P2701 – 105 x 134 mm

Available in custom sizes

Appropriate captions
like H, D, WC, see p. 13

With regard to theft protection in
public areas, we recommend
attachment using hot glue or
silicone.

Brushed on one side.

PICTOGRAMS

Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate), material thickness 2 mm, dimensions in H x W. Design: Andreas Winkler / Thorsten Wohner



P2001 – 150 x 35 mm



P2101 – 150 x 55 mm



P2201 – 55 x 50 mm



P1301 – 110 x 65 mm



P1401 – 110 x 69 mm



P1901 – 44 x 90 mm



P1701 –
95 x 60 mm



P1801 –
95 x 75 mm



P2301 –
135 x 45 mm



P2401 –
135 x 55 mm



P2901 –
125 x 125 mm




P3001 –
67 x 100 mm



P3701 –
92 x 85 mm



P3201 – 79 x 117 mm



P3101 – 79 x 117 mm

Ideal for combining with other pictograms



P4101 – 112 x 91 mm



P3801 – 110 x 96 mm



P3301 – 94 x 130 mm



P3401 – 84 x 150 mm



P3501
110 x 30 mm



P3501 rotated
110 x 30 mm

Ideal for combination
with other pictograms.

Also available as:

PPF25 – Arrow 25 x 9 mm

PPF40 – Arrow 40 x 14 mm

PPF70 – Arrow 70 x 25 mm

Available in
custom sizes.

Suitable
captions like
H, D, WC,
see p. 13

With regard to
theft protection in
public areas,
we recommend
attachment using
hot glue or silicone.
oder Silikon
Brushed on one side.

PICTOGRAMS EXAMPLE COMBINATIONS






PICTOGRAMS | INDIVIDUAL PRODUCTION

PHOS pictograms have received three international design awards. We offer a complete pictogram series with clear and unambiguous statements. On request, we design and manufacture individual symbols as well as individual dimensions and material thicknesses. All pictograms are processed by hand. Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate).

Regarding theft protection in public areas we recommend fixing with hot glue or silicone. Brushed on one side.

Classic pictograms of the public area:




Individual pictograms - design and production according to template or draft:





PICTOGRAMS | SOFT EDGE FRAME

EXTENSION ARTICLE FOR PICTOGRAMS




PR175X175

Square frame for pictograms in soft-edge design with rounded corners. Height x Width: 175 x 175mm. Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate), material thickness 2 mm.

Also available as:


PR175X250 – rectangular frame with soft edge design, height x width: 175 x 250 mm.



The frames are universal additional elements and can be used in combination with all pictograms.

With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.

Brushed on one side.



PS0203

PICTOGRAM SIGNS

Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate), material thickness 2 mm, height x width: 160 x 160 mm. Design: Andreas Winkler / Thorsten Wohner. For optional mounting options and background film, see p. 18.

Custom sizes available.

Matching signs with WC lettering and directional arrows see p. 10

With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.

Brushed on one side.



PS0301



PS0401



PS0101



PS0201



PS0701



PS0801



PS0901



PS1001



PS0501




PS0601



PS2501



PS2601



PS2701



PS4002

Height x width: 100 x 100 mm

PICTOGRAM SIGNS

Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate), material thickness 2 mm, height x width: 160 x 160 mm. Design: Andreas Winkler / Thorsten Wohner For optional mounting options and background film, see p. 18.

Available in custom sizes.

With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.

Brushed on one side.




PS1101



PS1301



PS1401



PS1501



PS1601



PS1901



PS1701



PS1801



PS2001



PS2101



PS2201



PS3801



PS3701



PS2301



PS2401



PS3901



PS2901




PS3001



PS3301




PS3401




PS3201

Ideal for combining with other pictograms.




PS3101

Ideal for combining with other pictograms.



PS3501

Ideal for combining with other pictograms.



PS3501 – TURNED



PS4101

PICTOGRAM SIGNS

Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate), material thickness 2 mm. For optional mounting options and background film, see p. 18.



PS0302 – 160 x 160 mm



PS0303 – 160 x 160 mm



PS0402 – 160 x 160 mm



PS0403 – 160 x 160 mm

Custom sizes available.

Appropriate signs
WC lettering and directional
arrows see p. 10

With regard to theft protection
in public areas, we recommend
attachment using hot glue or
silicone.

Brushed on one side.



PS0502 – 160 x 160 mm




PS0602 – 160 x 160 mm



PS0202 – 160 x 235 mm



PS0203 – 160 x 235 mm



PS3105 –
235 x 160 mm



PS3204 –
235 x 160 mm



PS0504 –
235 x 160 mm



PS0604 –
235 x 160 mm



PS0206 –
235 x 160 mm



PS0207 –
235 x 160 mm



PS0210 – 160 x 320 mm



PS0211 – 160 x 320 mm



PS0217 – 160 x 320 mm



PS0214 – 160 x 320 mm



PS0219 –
320 x 160 mm



PS0220 –
320 x 160 mm



PS0213 – 160 x 320 mm



PS0212 – 160 x 320 mm



PICTOGRAM SIGNS | INDIVIDUAL PRODUCTION

In addition to our pictograms, our pictogram signs are among our most successful elements. On request, we design and manufacture individual symbols as well as individual dimensions and material thicknesses. Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate). Material thickness 2 mm.

As an option, we offer several attachment variants for our pictogram signs. It can be mounted "floating" on the wall with a wall attachment, or with spacers as a "flag" perpendicular to the wall or down from the ceiling - see p. 17. Both sides of all free-hanging signs are sanded to the same surface quality.

Classic pictogram signs of the public area:



With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.

Individual pictogram signs - design and production according to template or draft:





BS0104 | FLAG ASSEMBLY BFFDM

CAPTION | SIGNS

Stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate), material thickness 2 mm, font: Helvetica Neue LT Medium. Size in H x W.
For optional mounting options and background film, see p. 18.

Custom sizes available.

Use of individual fonts according to specifications.

With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.

Brushed on one side.



BS0101 – 160 x 160 mm



BS0103 – 160 x 235 mm



BS0104 – 160 x 235 mm




BS0105 – 160 x 235 mm



BS0106 – 160 x 235 mm



BS0201 – 160 x 160 mm



BS0301 – 160 x 160 mm



BS0401 – 160 x 160 mm



BS0802 –
100 x 100 mm



BS0902 –
100 x 100 mm




BS0501 – 160 x 160 mm



BS0601 – 160 x 160 mm



BS0701 – 160 x 160 mm



HNS160X235 WITHOUT LETTERING | WALL SPACER BFVER


Custom sizes available.

Use of individual fonts according to specifications.

With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.

Brushed on one side.

LABELS CUSTOM SIGNS




HWS160X160

Lettering plate with individual lettering. Solid stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strongly adhesive (pure acrylate). Plate with a material thickness of 2 mm with custom lettering. Height x Width: 160 x 160mm. For optional mounting options and background film, see p. 18.

Also available as:

HWS160X235 – Height x Width: 160 x 235 mm.





Optional version, please specify when ordering.

For optional mounting options and background foil, see p. 18

Custom sizes available.

With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.


Brushed on one side.

SIGNS | SOFT EDGE DESIGN

APSED160X160


Optional version (surcharge item): Pictogram sign or information sign in a square soft-edge design with rounded corners. Height x Width: 160 x 160mm. Stainless steel, vertically matt brushed, lasered and finely machined.

Self-adhesive, strongly adhesive (pure acrylate), material thickness 2 mm



Also available as:

APSED160X235 – in rectangular soft-edge design, height x width: 160 x 235 mm.





LABELS

Custom sizes available.

Font Helvetica Neue Medium – Use of individual fonts according to specifications.

With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.

Brushed on one side.



FONT-25

Cap height 25 mm. Solid stainless steel, vertically matt brushed, lasered. Self-adhesive, strongly adhesive (pure acrylate), material thickness 2 mm. Ideal for combining with pictograms, see p. 2 f.

Also available as::

FONT-35 – Cap height 35 mm.

FONT-40 – Cap height 40 mm.

FONT-60 – Cap height 60 mm.

FONT-100 – Cap height 100 mm.







HOUSE NUMBERS

HN140

Height 140mm. Solid stainless steel, vertically matt brushed, lasered. Self-adhesive, strongly adhesive (pure acrylate), material thickness 4 mm. For optional mounting options, see p. 17.

Also available as:

HN160 – Height 160 mm.

HN200 – Height 200 mm.

Custom sizes available.

Font Helvetica Neue Medium – Use of individual fonts according to specifications.

With regard to theft protection in public areas, we recommend attachment using hot glue or silicone.

Brushed on one side.

140
1 2 3 A b c

160
1 2 3 A b c

200
1 2 3 A b c




Custom sizes available Font

Helvetica Neue Medium
– Use of individual fonts
according to specifications

With regard to theft protection in
public areas, we recommend
attachment using hot glue or
silicone.

Brushed on one side.

HOUSE NUMBERS | SIGNS




HNS160X160

House number sign, height x width: 160 x 160 mm. Solid stainless steel, vertically matt brushed, lasered and finely machined. Self-adhesive, strong adhesion (pure acrylate). Sign in material thickness 2 mm with customized lettering. For optional mounting options and background film, see p. 18.

Also available as:

HNS160X235 – Height x Width: 160 x 235 mm.



Including mounting material


Signs and inscriptions are equipped according to the desired fastening variant.

MOUNTING VARIANTS SIGNS AND LABELS

BFSS

Wall mounting set consisting of two strikers and M5 threaded sleeves attached to the rear. For direct mounting of signs and free-standing signs. Including, optionally usable wall spacers*, Ø12 mm, length 12 mm. Solid stainless steel, hand-polished.

Installation example house number plate:



BFSS INSTALLATION TO SURFACE | HN140




BFSS MOUNTED WITH SPACER | HN140

BFVER

Bracket set consisting of two wall mounts Ø 12 mm, length 25 mm. For concealed mounting of signs and free-standing signs via M6 thread. Rear screw connection possible. Cap height of 10 cm required for letters and numbers. Solid stainless steel, hand-polished.

Installation example house number plate:



BFVER SCREWED WITH WALL SPACING | HN140

* Material: PE (polyethylene), matt black.
High chemical resistance, good sliding properties.

MOUNTING VARIANTS


SIGNS AND INSCRIPTION

BFFDM – FLAG / CEILING MOUNTED


Sign holder set consisting of two spacers. Installation by clamping the pictogram/label. Solid stainless steel, hand-polished.

Including
Mounting Material


Flag installation example WC sign:




Flag mounting:



Ceiling mounting example toilet sign:



Ceiling mounting:



BFFDM FLAG ASSEMBLY | KFS

BFFDM CEILING MOUNTING | KFS

APPBS

Optional variant of pictogram / lettering signs made of stainless steel matt brushed on both sides. Recommended when attaching the signs for two-sided visibility.

KFS

Background plastic film, matt black, to be glued on the back on pictogram / label plates. Weatherproof and colourfast. Already attached at the factory.



PS0201 | KFS



WOODWOOD GROUP LTD
info@cloakroomsolutions.co.uk
01376 502 131
cloakroomsolutions.co.uk