

WALL RACKS



CLOAKROOM
SOLUTIONS

WALL RACK G13-1000
COAT HANGER KB2
SHOE RACK SR800-2

CL A L C




Including mounting material.

Optional hook HK12 see page 33.

Optional hanging element T3H see page 34.

Coat hanger see page 35 ff.

Assembly with cylinder head screws:




WALL RACK G13

Wall wardrobes G13 with solid wall mounting. With a clothes rail Ø 12 mm, solid stainless steel, hand-ground to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.


AVAILABLE PRODUCTS:

| | | | |
|----------------|----------------------|-----------------|--|
| G13-500 | Overall width 52cm. | G13-900 | Overall width 92 cm. |
| G13-600 | Overall width 62cm. | G13-1000 | Overall width 102 cm. |
| G13-700 | Overall width 72 cm. | G13-1200 | With intermediate support, overall width 122 cm. |
| G13-800 | Overall width 82 cm. | G13-1400 | With intermediate support, overall width 142 cm. |


G13 Side View:



G13-500 / 600 / 700 / 800 / 900 / 1000 Plan View:




G13-1200 / 1400 Plan View:





WALL RACK G13 WITH GLASS SHELF

Wall wardrobe G13 with solid wall mounting and 6 mm ESG glass shelf (Toughened safety glass, underside satined). With a clothes rail Ø 12 mm. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.



AVAILABLE PRODUCTS:


| | | | |
|-----------------|----------------------|------------------|--|
| G13-500G | Overall width 55 cm. | G13-900G | Overall width 95 cm. |
| G13-600G | Overall width 65 cm. | G13-1000G | Overall width 105 cm. |
| G13-700G | Overall width 75 cm. | G13-1200G | With intermediate support, overall width 125 cm. |
| G13-800G | Overall width 85 cm. | G13-1400G | With intermediate support, overall width 145 cm. |

WITH WOODEN SHELF

Wall-mounted coat racks G13 with solid wall mounting and 19 mm solid oak shelf, natural, oiled twice. With a clothes rail Ø 12 mm. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.

AVAILABLE PRODUCTS:

| | | | |
|--------------------|----------------------|---------------------|--|
| G13-500-Oak | Overall width 55 cm. | G13-900-Oak | Overall width 95 cm. |
| G13-600-Oak | Overall width 65 cm. | G13-1000-Oak | Overall width 105 cm. |
| G13-700-Oak | Overall width 75 cm. | G13-1200-Oak | With intermediate support, overall width 125 cm. |
| G13-800-Oak | Overall width 85 cm. | G13-1400-Oak | With intermediate support, overall width 145 cm. |



WALL RACK **G15-1200**
COAT HANGER **KB1**
HOOK **HK12**

CLOAKROOMSOLUTIONS.CO.UK


Coat Hanger KB2 see page **38**.
Including mounting material.



Coat hanger KB1 see page 36.
Hook HK12 see page 33.
Including mounting material.
Individual widths available.

Coat Hanger KB2 see page 38.
Including mounting material.

Assembly with cylinder head screws:




WALL RACK G15

Wall-mounted wardrobes G15 with solid wall mounting. With four crossbars Ø 12 mm.
Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.


AVAILABLE PRODUCTS:

| | | | |
|----------------|----------------------|-----------------|--|
| G15-500 | Overall width 52 cm. | G15-900 | Overall width 92 cm. |
| G15-600 | Overall width 62 cm. | G15-1000 | Overall width 102 cm. |
| G15-700 | Overall width 72 cm. | G15-1200 | With intermediate support, overall width 122 cm. |
| G15-800 | Overall width 82 cm. | G15-1400 | With intermediate support, overall width 142 cm. |


G15 Side View:



G15-500 / 600 / 700 / 800 / 900 / 1000 Plan View:



G15-1200 / 1400 Plan View:



WALL RACK **G15-1000G**
COAT HANGER **KB1**
HOOK **HK12**
SHOE RACK **RASR800-3**



Custom sizes available.
Including mounting material.
Glass shelf in clear glass on request.
Coat Hanger KB1 see page 36.
Hook HK12 see page 33.

WALL RACK G15


WITH GLASS SHELF

Wall wardrobes G15 with solid wall mounting and 6 mm ESG glass shelf (Toughened safety glass, underside satined). With four crossbars Ø 12 mm. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.

AVAILABLE PRODUCTS:

| | | | |
|-----------------|----------------------|------------------|--|
| G15-500G | Overall width 55 cm. | G15-900G | Overall width 95 cm. |
| G15-600G | Overall width 65 cm. | G15-1000G | Overall width 105 cm. |
| G15-700G | Overall width 75 cm. | G15-1200G | With intermediate support, overall width 125 cm. |
| G15-800G | Overall width 85 cm. | G15-1400G | With intermediate support, overall width 145 cm. |

Assembly of wooden shelf:




WITH WOODEN SHELF

Wall wardrobes G15 with solid wall mounting and 19 mm Solid oak shelf, natural, oiled twice. With four crossbars Ø 12 mm. Solid stainless steel, hand-polished to a satin finish.


AVAILABLE PRODUCTS:

| | | | |
|--------------------|----------------------|---------------------|--|
| G15-500-Oak | Overall width 55 cm. | G15-900-Oak | Overall width 95 cm. |
| G15-600-Oak | Overall width 65 cm. | G15-1000-Oak | Overall width 105 cm. |
| G15-700-Oak | Overall width 75 cm. | G15-1200-Oak | With intermediate support, overall width 125 cm. |
| G15-800-Oak | Overall width 85 cm. | G15-1400-Oak | With intermediate support, overall width 145 cm. |

G15 G Side View:



G15 Oak Side View:



G15-500G to 1000G / G15-500-Oak to 1000-Oak Plan View:




G15-1200G / 1200-Oak / 1400G / 1400-Oak Plan View:



Coat Hanger KB2 see page 38.
Including mounting material.



Assembly with cylinder head screws:



Coat Hanger KB2 see page 38.


Including mounting material.

WALL RACK G17

Wall-mounted wardrobes G17 with solid wall mounting. With four cross bars Ø 12 mm and a coat hook bar. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.

AVAILABLE PRODUCTS:

| | |
|-----------------|---|
| G17-500 | Overall width 52 cm, with five coat hooks. |
| G17-600 | Overall width 62 cm, with five coat hooks. |
| G17-700 | Overall width 72 cm, with five coat hooks. |
| G17-800 | Overall width 82 cm, with five coat hooks. |
| G17-900 | Overall width 92 cm, with six coat hooks. |
| G17-1000 | Overall width 102 cm, with six coat hooks. |
| G17-1200 | With intermediate support, overall width 122 cm, with ten coat hooks. |
| G17-1400 | With intermediate support, overall width 142 cm, with ten coat hooks. |



WALL RACK G17-1000-Oak
COAT HANGER KB1
SHOE RACK SB800-2-Oak

CLOAKROOMSOLUTIONS.CO.UK



WALL RACK G17

WITH GLASS SHELF

Wall wardrobe G17 with solid wall mounting and 6 mm ESG glass shelf (toughened safety glass, underside satined). With four cross bars \varnothing 12 mm and a coat hook bar. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.

AVAILABLE PRODUCTS:


| | |
|------------------|---|
| G17-500G | Overall width 55 cm, with five coat hooks. |
| G17-600G | Overall width 65 cm, with five coat hooks. |
| G17-700G | Overall width 75 cm, with five coat hooks. |
| G17-800G | Overall width 85 cm, with five coat hooks. |
| G17-900G | Overall width 95 cm, with six coat hooks. |
| G17-1000G | Overall width 105 cm, with six coat hooks. |
| G17-1200G | With intermediate support, overall width 125 cm, with ten coat hooks. |
| G17-1400G | With intermediate support, overall width 145 cm, with ten coat hooks. |

WITH WOODEN SHELF

Wall-mounted wardrobes G17 with solid wall mounting and 19 mm solid oak shelf, natural, oiled twice. With four cross bars \varnothing 12 mm and a coat hook bar. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.

AVAILABLE PRODUCTS:

| | |
|-----------------------|---|
| G17-500-Eiche | Overall width 55 cm, with five coat hooks. |
| G17-600-Eiche | Overall width 65 cm, with five coat hooks. |
| G17-700-Eiche | Overall width 75 cm, with five coat hooks. |
| G17-800-Eiche | Overall width 85 cm, with five coat hooks. |
| G17-900-Eiche | Overall width 95 cm, with six coat hooks. |
| G17-1000-Eiche | Overall width 105 cm, with six coat hooks. |
| G17-1200-Eiche | With intermediate support, overall width 125 cm, with ten coat hooks. |
| G17-1400-Eiche | With intermediate support, overall width 145 cm, with ten coat hooks. |





WALL RACK **G18-1000G**
COAT HANGER **KB1**
HOOK **HK12** AND **HK16**
SHOE RACK **SR800-2W**

WALL RACK **G18-800** COAT
HANGER **KB1**
HOOK **HK16**

CLOAKROOMSOLUTIONS.CO.UK

Coat Hanger KB2 see page **38**.
Including mounting material.



Coat hanger KB1 see page 36.

Hook HK16 see page 33.

Including mounting material.


Individual widths available.

CLOAKROOMSOLUTIONS.CO.UK

Coat Hanger KB2 see page 38.

Including mounting material.

Assembly with cylinder head screws:




WALL RACK G18

Wall wardrobes G18 with solid wall mounting. With four upper crossbars \varnothing 12 mm and one lower clothes rail \varnothing 16 mm. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.


AVAILABLE PRODUCTS:

| | |
|-----------------|--|
| G18-500 | Overall width 52 cm. |
| G18-600 | Overall width 62 cm. |
| G18-700 | Overall width 72 cm. |
| G18-800 | Overall width 82 cm. |
| G18-900 | Overall width 92 cm. |
| G18-1000 | Overall width 102 cm. |
| G18-1200 | With intermediate support, overall width 122 cm. |
| G18-1400 | With intermediate support, overall width 142 cm. |


G18-500 / 600 / 700 / 800 / 900 / 1000 Plan View:



G18 Side View:



G18-1200 / 1400 Plan View:



WALL RACK G18-1200-Oak

COAT HANGER KB1

HOOK HK12

CLOAKROOMSOLUTIONS.CO.UK

Coat Hanger KB2 see page 38.

Including mounting material.




Hook HK12 see page 33.
Coat Hanger KB1 see page 36.

Including mounting material.

Individual widths available.

Assembly of wooden shelf:



WALL RACK G18 WITH GLASS SHELF

Wall wardrobes G18 with solid wall mounting and 6 mm ESG glass shelf (single-pane safety glass, underside satined). With four upper crossbars Ø 12 mm and one lower clothes rail Ø 16 mm. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.

AVAILABLE PRODUCTS:


| | | | |
|-----------------|----------------------|------------------|--|
| G18-500G | Overall width 55 cm. | G18-900G | Overall width 95 cm. |
| G18-600G | Overall width 65 cm. | G18-1000G | Overall width 105 cm. |
| G18-700G | Overall width 75 cm. | G18-1200G | With intermediate support, overall width 125 cm. |
| G18-800G | Overall width 85 cm. | G18-1400G | With intermediate support, overall width 145 cm. |

WITH WOODEN SHELF

Wall-mounted coat racks G18 with solid wall mounting and 19 mm solid oak shelf, natural, oiled twice. With four upper crossbars Ø 12 mm and one lower clothes rail Ø 16 mm. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated..

AVAILABLE PRODUCTS:

| | | | |
|----------------------|----------------------|-----------------------|--|
| G18-500-Eiche | Overall width 55 cm. | G18-900-Eiche | Overall width 95 cm. |
| G18-600-Eiche | Overall width 65 cm. | G18-1000-Eiche | Overall width 105 cm. |
| G18-700-Eiche | Overall width 75 cm. | G18-1200-Eiche | With intermediate support, overall width 125 cm. |
| G18-800-Eiche | Overall width 85 cm. | G18-1400-Eiche | With intermediate support, overall width 145 cm. |







WALL RACK GU1

Wall-mounted wardrobe GU1 bent from one piece, with U-shaped clothes rail Ø 12 mm with solid wall mounting and diagonal wall suspensions. Solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an additional wall suspension is integrated..


AVAILABLE PRODUCTS:

| | |
|-----------------|--|
| GU1-500 | With two wall suspensions, overall width 52 cm. |
| GU1-600 | With two wall suspensions, overall width 62 cm. |
| GU1-700 | With two wall suspensions, overall width 72 cm. |
| GU1-800 | With two wall suspensions, overall width 82 cm. |
| GU1-900 | With two wall suspensions, overall width 92 cm. |
| GU1-1000 | With two wall suspensions, overall width 102 cm. |
| GU1-1200 | With three wall suspensions, overall width 122 cm. |
| GU1-1400 | With three wall suspensions, overall width 142 cm. |
| GU1-1600 | With three wall suspensions, overall width 162 cm. |


GU1-500 / 600 / 700 / 800 / 900 / 1000 Plan View:



GU1 Side View:



GU1-1200 / 1400 / 1600 Plan View:




Coat Hanger KB1 see page 36.

Including mounting material.


Available in individual widths

Planning information on the ceiling height with diagonal wall bracing: The required height of the wall attachment point at 45°, including space for installation, corresponds approximately to the overhang of the wall wardrobe.

Mounting with mounting sleeve and wall bracket STF:



Installation with wall bracket WL12K:





Coat Hanger KB1 see page 36.
Custom sizes available.
Including mounting material.

Coat Hanger KB2 see page 38.
Including mounting material.



Optional Hanging element
T3H see page 34.


WALL RACK G4

Wall-mounted coat racks G4 with solid attachment using hat rosettes and Hilti attachment material*. With a clothes rail Ø 12 mm, solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate support is integrated.


AVAILABLE PRODUCTS:

| | | | |
|---------------|----------------------|----------------|--|
| G4-500 | Overall width 54 cm. | G4-900 | Overall width 94 cm. |
| G4-600 | Overall width 64 cm. | G4-1000 | Overall width 104 cm. |
| G4-700 | Overall width 74 cm. | G4-1200 | With intermediate support, overall width 124 cm. |
| G4-800 | Overall width 84 cm. | G4-1400 | With intermediate support, overall width 144 cm. |


G4-500 / 600 / 700 / 800 / 900 / 1000 Plan View:




G4 Side View:



G4-1200 / 1400 Plan View:



Installation with Hilti countersunk screw HRD-CR 10 x 60 and rosette R40H:




*Stainless steel countersunk screw d 7 x 60 mm with frame dowel 10 mm (HRD-CR 10 x 60).



Coat rack G4 page 36.
Including mounting material.
Glass shelf in clear glass on request.

Assembly of glass shelf:



WALL RACK G4 WITH GLASS SHELF

Wall coat racks G4 with solid attachment using hat rosettes and Hilti attachment material*. With 6 mm ESG glass shelf (toughened safety glass, underside satined). With a clothes rail Ø 12 mm, stainless steel solid, silky-matt hand sanded. From a width of more than one meter, an intermediate carrier is integrated.

AVAILABLE PRODUCTS:


| | | | |
|----------------|----------------------|-----------------|--|
| G4-500G | Overall width 55 cm. | G4-900G | Overall width 95 cm. |
| G4-600G | Overall width 65 cm. | G4-1000G | Overall width 105 cm. |
| G4-700G | Overall width 75 cm. | G4-1200G | With intermediate support, overall width 125 cm. |
| G4-800G | Overall width 85 cm. | G4-1400G | With intermediate support, overall width 145 cm. |

WITH WOODEN SHELF

W all coat racks G4 with solid attachment using hat rosettes and Hilti attachment material*. With 19 mm solid oak shelf, natural, oiled twice. With a clothes rail Ø 12 mm, solid stainless steel, hand-polished to a satin finish. From a width of more than one meter, an intermediate carrier is integrated.

AVAILABLE PRODUCTS:

| | | | |
|-------------------|----------------------|--------------------|--|
| G4-500-Oak | Overall width 55 cm. | G4-900-Oak | Overall width 95 cm. |
| G4-600-Oak | Overall width 65 cm. | G4-1000-Oak | Overall width 105 cm. |
| G4-700-Oak | Overall width 75 cm. | G4-1200-Oak | With intermediate support, overall width 125 cm. |
| G4-800-Oak | Overall width 85 cm. | G4-1400-Oak | With intermediate support, overall width 145 cm. |



*Stainless steel countersunk screw d 7 x 60 mm with frame dowel 10 mm (HRD-CR 10 x 60).






CURVED WALL RACK SEMI CIRCLE

Semi-circular wall-mounted coat racks with solid wall attachment and diagonal wall suspension. With clothes rail \varnothing 12 mm, Solid stainless steel, hand-polished to a satin finish.

AVAILABLE PRODUCTS:

G300HW Radius 30 cm, Overall width 61,8 cm, Depth 31 cm, Height 26,9 cm.

G400HW Radius 40 cm, Overall width 81,8 cm, Depth 41 cm, Height 36,9 cm.







Custom sizes available.


Including mounting material.

Coat Hanger KB1 see page 36.
 Hanging Element T3H see page 34.


CURVED WALL RACK CLOSE TO THE WALL

G45 Curved coat rack with solid attachment and diagonal wall suspension. With clothes rail \varnothing 12 mm. Width 91.8 cm, depth 24.5 cm, height 20.4 cm. Solid stainless steel, hand-polished to a satin finish.


G45 Plan View:




G45 Side View



Mounting with mounting sleeve and wall bracket STF:



Installation with wall bracket WL12K:



CORNER WALL RACK **G400VW**
COAT HANGER **KB1**

CLOAKROOMSOLUTIONS.CO.UK

Coat Hanger KB2 see page **38**.
including mounting material.



G300VW | KB1

Custom
Sizes Available.
Including mounting
material for wall fixing.
Coat Hanger KB1
see page 36.
Please allow sufficient
ceiling clearance.

CORNER CURVED WALL RACK QUARTER CIRCLE WITH WALL SUSPENSION


Quarter-circle corner wardrobes with solid wall mounting
and diagonal wall suspension. With clothes rail \varnothing 12 mm.
Solid stainless steel, hand-polished to a satin finish.

AVAILABLE PRODUCTS:


G300VW
G400VW
G500VW

Radius 30 cm, Depth 31,3 cm, Height 25,9 cm.
Radius 40 cm, Depth 41,3 cm, Height 36 cm.
Radius 50 cm, Depth 51,3 cm, Height 46 cm.


Installation with
wall bracket WL12K:




Mounting with corner adapter,
mounting sleeve and wall bracket STF:




G300VW Side View:




G300VW Plan View:



G500VW Side View:



G500VW Plan View:



Coat Hanger KB2 see page 38.
Including mounting material.



FOLDING COAT RACK KLR600




FOLDING WALL RACK

Folding coat racks Sant'Anselmo with four coat rails \varnothing 12 mm and two additional lower coat hooks. Solid screw connection with oval rosettes. Foldable to save space if required, ideal for hallways or small rooms.


AVAILABLE PRODUCTS:

| | |
|---------------|------------------------|
| KLR600 | Overall width 63,4 cm. |
| KLR700 | Overall width 73,4 cm. |
| KLR800 | Overall width 83,4 cm. |
| KLR900 | Overall width 93,4 cm. |


KLR600 / 700 / 800 / 900 Front View Unfolded:




KLR600 / 700 / 800 / 900
Side View Unfolded:




KLR600 / 700 / 800 / 900 Front View Folded:



KLR600 / 700 / 800 / 900
Side View Folded:



Installation with oval rosette:





WALL RACK ACCESSORIES


COAT HOOK

Coat hook for threading and fixing on clothes rails. Includes black protective cap*. Solid stainless steel, hand-polished ring element.


AVAILABLE PRODUCTS:

- HK12** For stainless steel bars $\varnothing 12$ mm.
HK16 For stainless steel bars $\varnothing 16$ mm.
HK18 For stainless steel bars $\varnothing 18$ mm.
HK20 For stainless steel bars $\varnothing 20$ mm.


HK12:




HK16:



HK18:




HK20:




HKS HKC

S-hook for stainless steel rods up to $\varnothing 20$ mm.
 C-hook for stainless steel rods up to $\varnothing 18$ mm.

HKS:



HKC:



*Material: PE (polyethylene), matt black. High chemical resistance, good sliding properties.

T3F

T3H

WALL RACK ACCESSORIES


HANGING ELEMENTS

Take 3 hanging elements with three coat hooks that can be rotated 360°, for clothes rails Ø 12 mm. Solid stainless steel, hand-polished to a satin finish. Also available in custom lengths.


AVAILABLE PRODUCTS:

- T3H** Take 3 hanging element for hanging.
- T3F** Take 3F hanging element for theft-proof threading and optional fixing.

T3H Side View:



T3F Side View:



COAT HANGER KB1



KB1H



KB1G

COAT HANGER

Coat hanger with a concealed 360° rotating mechanism and an elegant connection detail with no visible screw connection. Stainless steel, solid material Ø 10 mm, brushed silky matt.

AVAILABLE PRODUCTS:


KB1 Coat hanger.

KB1H Coat and trouser hanger.


KB1G Coat hanger for public areas with a closed eye (anti-theft).

KB1HG Coat and trouser hangers for public areas with a closed eye (anti-theft protection).


KB1:




KB1H:



KB1G:




KB1HG:



Coat Hanger KB2 see page 38.
Including mounting material.






KB2

COAT HANGER

KB2

Coat and trouser hanger bent from one piece.
Stainless steel, solid material Ø 8 mm, brushed silky
matt.





WOODWOOD GROUP LTD
info@cloakroomsolutions.co.uk
01376 502 131
cloakroomsolutions.co.uk