

TOWEL RAILS

CLOAKROOM
SOLUTIONS



Durable and easy to care for.

Including mounting material
for wall screwing.


TOWEL RAILS G-SERIES

The towel rails of the G series are bent by hand from one piece. Towel rail Ø12 mm for wall screwing. Distance to wall 62 mm (axis dimension). Solid stainless steel, hand-polished to a satin finish.


Also available in custom sizes.

HS12-400G	Overall length 42,5 cm.
HS12-500G	Overall length 52,5 cm.
HS12-600G	Overall length 62,5 cm.
HS12-700G	Overall length 72,5 cm.
HS12-800G	Overall length 82,5 cm.
HS12-900G	Overall length 92,5 cm.
HS12-1000G	Overall length 102,5 cm.
HS12-1200G	Overall length 122,5 cm.

Product example
HS12-800G Detail view:



Product example HS12-800G Plan view:





G-SERIES ADHESIVE MOUNT TOWEL BAR

Durable and easy to care for.
Including mounting material
for wall bonding.


TOWEL RAILS

G-SERIES ADHESIVE MOUNT


The towel rails of the G series are bent by hand from one piece. Towel rail $\varnothing 12$ mm with Tesa® Power.Kit set for wall mounting. Distance to wall 65 mm (axis dimension). Solid stainless steel, hand-polished to a satin finish.
Also available in custom sizes.

HS12-400G-K55	Overall length 45,5 cm.
HS12-500G-K55	Overall length 55,5 cm.
HS12-600G-K55	Overall length 65,5 cm.
HS12-700G-K55	Overall length 75,5 cm.
HS12-800G-K55	Overall length 85,5 cm.
HS12-900G-K55	Overall length 95,5 cm.
HS12-1000G-K55	Overall length 105,5 cm.
HS12-1200G-K55	Overall length 125,5 cm.

Product example
HS12-800G-K55 Detail view:



Product example HS12-800G-K55 Plan view:





TOWEL RAILS G SERIES
SHOWER CURTAIN RAIL DSE900
SHOWER TRAYS DAE230

TOWEL RAIL E-SERIES

Including mounting
material for wall screwing.

TOWEL RAILS


E-SERIES

The elegant E-Series towel rails feature concealed rail attachments. Towel rail \varnothing 12 mm for wall screwing. Distance to wall 69 mm (axis dimension). Solid stainless steel, hand-polished to a satin finish. Also available in custom sizes.


HS20-80E400
HS20-80E500
HS20-80E600
HS20-80E700
HS20-80E800
HS20-80E900
HS20-80E1000
HS20-80E1200

Overall length 42,5 cm.
 Overall length 52,5 cm.
 Overall length 62,5 cm.
 Overall length 72,5 cm.
 Overall length 82,5 cm.
 Overall length 92,5 cm.
 Overall length 102,5 cm.
 Overall length 122,5 cm.


Product example
HS20-80E800 Detail view:



Product example HS20-80E800 Plan view:



Installation with hat rosette R25H:



E-SERIES ADHESIVE MOUNT TOWEL RAIL

Durable and easy to care for.
Including mounting material
for wall bonding.


TOWEL RAILS

E-SERIES ADHESIVE MOUNT


The elegant E-Series towel rails feature concealed rail attachments. Towel rail Ø 12 mm with Tesa® Power.Kit set for wall mounting. Distance to wall 72 mm (axis dimension). Solid stainless steel, hand-polished to a satin finish. Also available in custom sizes.


HS20-80E400-K55	Overall length 45,5 cm.
HS20-80E500-K55	Overall length 55,5 cm.
HS20-80E600-K55	Overall length 65,5 cm.
HS20-80E700-K55	Overall length 75,5 cm.
HS20-80E800-K55	Overall length 85,5 cm.
HS20-80E900-K55	Overall length 95,5 cm.
HS20-80E1000-K55	Overall length 105,5 cm.
HS20-80E1200-K55	Overall length 125,5 cm.

Product example
HS20-80E800-K55 Detail view:



Product example HS20-80E800-K55 Plan view:







TOWEL RAIL E-SERIES DOUBLE

Including mounting
material for wall screwing.

TOWEL RAILS


E-SERIES DOUBLE

The elegant E-Series double towel rails feature concealed rail attachments. Two towel rails \varnothing 12 mm for wall screwing. Wall distance 66 or 129 mm (axis dimensions). Solid stainless steel, hand-polished to a satin finish.


Also available in custom sizes.

HS20-140ED400	Overall length 42,5 cm.
HS20-140ED500	Overall length 52,5 cm.
HS20-140ED600	Overall length 62,5 cm.
HS20-140ED700	Overall length 72,5 cm.
HS20-140ED800	Overall length 82,5 cm.
HS20-140ED900	Overall length 92,5 cm.
HS20-140ED1000	Overall length 102,5 cm.
HS20-140ED1200	Overall length 122,5 cm.

Product example
HS20-140ED800 Detail view:



Product example HS20-140ED800 Plan view:



TOWEL RAIL D-SERIES

Including mounting
material for wall fixing.

TOWEL RAILS

D-SERIES

The high-quality and stylish D-Series towel rails feature two detachable rod holders, which allows flexible positioning of the mounting points. Continuous towel rail \varnothing 12 mm for wall screwing. Distance to wall 69 mm (axis dimension). Solid stainless steel, hand-polished to a satin finish. Also available in custom sizes.

HS20-80-400

Overall length 40 cm.

HS20-80-500

Overall length 50 cm.

HS20-80-600

Overall length 60 cm.

HS20-80-700

Overall length 70 cm.

HS20-80-800

Overall length 80 cm.

HS20-80-900

Overall length 90 cm.


HS20-80-1000

Overall length 100 cm.


HS20-80-1200

Overall length 120 cm.

Product example
HS20-80-800 Detail view:



Product example HS20-80-800 Plan view:





D-SERIES ADHESIVE MOUNT TOWEL RAIL

Durable and easy to care for.
Including mounting material
for wall bonding.

TOWEL RAILS

D-SERIES ADHESIVE MOUNTED

The high-quality and stylish D-Series towel rails feature two detachable rod holders, which allows flexible positioning of the mounting points. End-to-end towel rail \varnothing 12 mm with Tesa® Power.Kit set for wall gluing, wall distance 72 mm (axis dimension). Solid stainless steel, hand-polished to a satin finish.

Also available in custom sizes.

HS20-80-400-K55

Overall length 45,5 cm.

HS20-80-500-K55

Overall length 55,5 cm.

HS20-80-600-K55

Overall length 65,5 cm.

HS20-80-700-K55

Overall length 75,5 cm.

HS20-80-800-K55

Overall length 85,5 cm.

HS20-80-900-K55

Overall length 95,5 cm.


HS20-80-1000-K55

Overall length 105,5 cm.


HS20-80-1200-K55


Overall length 125,5 cm.

Product example
HS20-80-800-K55 Detail view:



Product example HS20-80-800-K55 Plan view:





TOWEL RAIL **D-SERIE** DOUBLE

Including mounting
material for wall fixing.

TOWEL RAILS

D-SERIES DOUBLE


High quality and stylish, the D-Series double towel rails feature two detachable rail holders, allowing for flexible positioning of the mounting points. Two continuous towel rails \varnothing 12 mm for wall screwing.

Wall distance 66 or 129 mm (axis dimensions). Solid stainless steel, hand-polished to a satin finish.


Also available in custom sizes.

HS20-140D400	Overall length 40 cm.
HS20-140D500	Overall length 50 cm.
HS20-140D600	Overall length 60 cm.
HS20-140D700	Overall length 70 cm.
HS20-140D800	Overall length 80 cm.
HS20-140D900	Overall length 90 cm.
HS20-140D1000	Overall length 100 cm.
HS20-140D1200	Overall length 120 cm.

Product example
HS20-140D800 Detail view:



Product example HS20-140D800 Plan view:







TOWEL RAIL T-SERIE

Including mounting
material for wall fixing.


TOWEL RAILS

D-SERIES DOUBLE


The elegant and solid towel rails of the T series offer a clear design. Towel rail \varnothing 20 mm for wall screwing. Distance to wall 80 mm (axis dimension). Solid stainless steel, hand-polished to a satin finish. Also available in custom sizes.


HS18-400T	Overall length 40 cm.
HS18-500T	Overall length 50 cm.
HS18-600T	Overall length 60 cm.
HS18-700T	Overall length 70 cm.
HS18-800T	Overall length 80 cm.
HS18-900T	Overall length 90 cm.
HS18-1000T	Overall length 100 cm.
HS18-1200T	Overall length 120 cm.

Product example
HS18-800T Detail view:



Product example HS18-800T Plan view:





TOWEL RAIL HS26-140EDS460



TOWEL RAILS

OPEN ON ONE SIDE

Towel holders open on one side, with one or two arms. Towel rail/s \varnothing 12 mm, axis length 46 cm, total length 49 cm. For wall screwing. Solid stainless steel, hand-polished to a satin finish.

HS26-80ES460


Single towel holder, distance to wall 70 mm (axis dimension).

HS26-140EDS460


Double towel rail, wall distance 67 or 130 mm (axis dimensions).

Including mounting material for wall fixing.


Mounting with rosette R60M6:




HS26-80ES460 Plan view:




HS26-80ES460 Detail view:



HS26-140EDS460 Plan view:



HS26-140EDS460 Detail view:





TOWEL RAIL HS12-420D-0

TOWEL RAIL


OPEN ON ONE SIDE

Towel holders open on one side with one or two fixed holding arms. Towel rail/s Ø 12 mm for wall screwing. Solid stainless steel, hand-polished to a satin finish.


- HS12-420** With a holding arm.
- HS12-420-0** With a holding arm and O-ring*
- HS12-420D** With two holding arms.
- HS12-420D-0** With two holding arms and O-rings*

Including mounting material.

Installation with hanger bolt and rosette:




Product example HS12-420-0 Plan view:




Product example HS12-420-0 Front view:



Product example HS12-420D-0 Plan view:



Product example HS12-420D-0 Front view:



* Material: Viton®. High chemical and thermal resistance.

Manufactured from fluorine and rubber. ISO abbreviation: FKM, DIN abbreviation: FPM.



SWIVEL TOWEL RAIL GHH1


Including mounting
material for wall screwing.

TOWEL RAIL ADJUSTABLE


Elegant and simple towel holder with one or two swiveling towel rails Ø 12 mm with O-ring*. For wall screwing. Solid stainless steel, hand-polished to a satin finish.

- GHH1** With a swiveling rail
GHH2 With two swiveling rails.

GHH1 Side view:



GHH2 Side view:



* Material: Viton®. High chemical and thermal resistance.
Manufactured from fluorine and rubber. ISO abbreviation: FKM, DIN abbreviation: FPM.



SWIVELING TOWEL RAIL **GHH2**
MOBILE COAT RAIL **GW1-BPW**
COAT HANGER **KB2**



T0-B

CEILING TOWEL RAILS TAKE 0

Towel rail Take 0 for concealed ceiling mounting.

Towel rail \varnothing 18 mm. Solid stainless steel, hand-polished to a satin finish. Standard size for 2.50 m ceiling heights.


Also available in custom sizes.

T0-B Without shelf.


TOG-B With a glass shelf made of 6 mm ESG (toughened safety glass, satined underside) with polished edges. Including two glass shelf supports, freely positionable in height.

Including mounting material for concealed ceiling mounting.


Installation with ceiling bracket DL12:



T0-B Front view:



TOG-B Front view:



TOG-B Plan view:





CEILING TOWEL RAIL

TAKE 3 AND TAKE 5

Ceiling towel rail with three or five hooks that can be rotated through 360°. For concealed ceiling mounting. Solid stainless steel, hand-polished to a satin finish. Standard size for 2.50 m ceiling heights. Also available in custom sizes.

T3-B Take 3, with three rotating hooks .

T5-B Take 5, with five rotating hooks.





Including mounting material for concealed ceiling screws.



Object of the permanent exhibition of the Chicago Athenaeum: Museum of Architecture and Design. Good Design Award 2002 - The Chicago Athenaeum. Design: Andreas Winkler.

Installation with ceiling bracket DL12:





WOODWOOD GROUP LTD
info@cloakroomsolutions.co.uk
01376 502 131
cloakroomsolutions.co.uk